ELSEVIER

Volume 396, Numbers 1–2, 31 October 1995

JOURNAL OF ELECTROANALYTICAL CHEMISTRY

Contents

A tribute to Professors Kenichi Honda, Hiroaki Matsuda and Reita Tamamushi on the occasion of their 70th birthdays

Dedication 1

Regular papers

Photocatalytic reduction of CO_2 with H_2O on various titanium oxide catalysts
M. Anpo, H. Yamashita, Y. Ichihashi and S. Ehara (Osaka, Japan) 21

Importance of binding states between photosensitizing molecules and the TiO_2 surface for efficiency in a dye-sensitized solar cell
K. Murakoshi, G. Kano, Y. Wada, S. Yanagida, H. Miyazaki, M. Matsumoto and S. Murasawa (Osaka, Japan) 27

Photo-oxidation reaction of water on an n-TiO_2 electrode. Improvement in efficiency through formation of surface micropores by photo-etching in H_2SO_4
Y. Nakato, H. Akanuma, J.-i. Shimizu and Y. Magari (Osaka, Japan) 35

Photoelectrochemical studies pertaining to the activity of TiO_2 towards photodegradation of organic compounds
A. Wahl, M. Ulmann, A. Carroy, B. Jermann, M. Dolata, P. Kedzierzawski, C. Chatelain, A. Monnier and J. Augustynski (Genève, Switzerland) 41

Synergetic molecular approaches towards artificial and photosynthetic water photoelectrolysis
H. Tributsch and L. Pohlmann (Berlin, Germany) 53

Photoelectrochemical responses of orthorhombic and cubic copper selenides
S.K. Haram and K.S.V. Santhanam (Bombay, India) 63

Control of the porous structure of n-type silicon and its electroluminescence properties
T. Osaka, K. Ogasawara, M. Katsunuma and T. Momma (Tokyo, Japan) 69

The effects of uncompensated solution resistance and rate of the homogeneous electron transfer reaction on electrochemiluminescence transients
J. Rosenmund and K. Doblhofer (Berlin-Dahlem, Germany) 77

Electrochemiluminescence in low ionic strength solutions of 1,2-dimethoxyethane
K.M. Maness and R.M. Wightman (Chapel Hill, NC, USA) 85

Preparation of a microelectrode array by photo-induced elimination of a self-assembled monolayer of hexadecylthiolate on a gold electrode
M. Ohtani, T. Sunagawa, S. Kuwabata and H. Yoneyama (Osaka, Japan) 97

Electrochemical and X-ray photoelectron spectroscopic evidence for differences in the binding sites of alkanethiolate monolayers chemisorbed at gold
M.M. Walczak, C.A. Alves, B.D. Lamp and M.D. Porter (Ames, IA, USA) 103

Electrochemical and second harmonic generation study of SO_4^{2-} adsorption at the Au(111) electrode
Z. Shi, J. Lipkowski (Guelph, Canada), S. Mirwald and B. Pettinger (Berlin, Germany) 115

In-situ scanning tunneling microscopy of bromine adlayers on Pt(111)
S. Tanaka, S.-L. Yau and K. Itaya (Sendai, Japan) 125

Voltammetric study of underpotential deposition (upd) of Zn^{2+} ions on Pt(111): Effect of adsorbed anion
S. Taguchi and A. Aramata (Sapporo, Japan) 131

Influence of underpotential deposition of copper with submonolayer coverage on hydrogen adsorption at the stepped surfaces Pt(955), Pt(322) and Pt(544) in sulfuric acid solution
C. Nishihara and H. Nozoye (Ibaraki, Japan) 139

Reduction of NO on Au single-crystal electrodes in alkaline solution
S. Suzuki, T. Nakato, H. Hattori and H. Kita (Sapporo, Japan) 143

Cu deposition onto n-GaAs(100): optical and current transient studies
G. Scherb and D.M. Kolb (Ulm, Germany) 151

Electrochemical surface characterization of $IrO_2 + SnO_2$ mixed oxide electrocatalysts
C.P. De Pauli and S. Trasatti (Milan, Italy) 161

Electrochemical measurements of single particles of Pd and $LaNi_5$ with a microelectrode technique
H. Ura, T. Nishina and I. Uchida (Sendai, Japan) 169

Chemical bath deposition of CdSe layers from Cd(II)-selenosulfite solutions
H. Cachet, H. Essaaidi, M. Froment and G. Maurin (Paris, France) 175

Transport phenomena and growth modes of silver electrodeposits
P. Carro, S. Ambrosolio, S.L. Marchiano, A.H. Creus, R.C. Salvarezza and A.J. Arvia (La Plata, Argentina) 183

Electrochemical methods for analysis of the thickness of thin alternating metal layers
V.E. Kazarinov, V.P. Lukovtsev, A.V. Dribinskii and V.S. Borovkov (Moscow, Russia) 197

Chronoamperometry for the determination of metallic interdiffusion coefficients. Rapid transport processes in the first atomic layers
F. Lantelme and M. Chemla (Paris, France) 203

Selective formation of β-PbO and α-PbO films on Pb electrodes by potentiostatic anodization in alkaline solutions
P. Veluchamy and H. Minoura (Gifu, Japan) 211

A generalized theory of intensity modulated photocurrent spectroscopy (IMPS)
E.A. Ponomarev and L.M. Peter (Bath, UK) 219

Synthetic semiconductor diamond electrodes: determination of acceptor concentration by linear and non-linear impedance measurements
Yu.V. Pleskov, V.Ya. Mishuk, M.A. Abaturov, V.V. Elkin, M.D. Krotova, V.P. Varnin and I.G. Teremetskaya (Moscow, Russian Federation) . 227

Efficient reduction of nitrite and nitrate to ammonia using thin-film B-doped diamond electrodes
C. Reuben, E. Galun, H. Cohen, R. Tenne (Rehovot, Israel), R. Kalish (Haifa, Israel), Y. Muraki, K. Hashimoto, A. Fujishima (Tokyo, Japan), J.M. Butler (Washington, DC, USA) and C. Lévy-Clément (Meudon, France) 233

Morphological pattern formation in pitting corrosion
M. Asanuma and R. Aogaki (Sagamihara, Japan) 241

Equations of motion for a classical charged particle in a polar medium
A.M. Kuznetsov and L.I. Krishtalik (Moscow, Russia) 251

The steady state at a pair of hemispherical microelectrodes
L.C.R. Alfred and K.B. Oldham (Peterborough, Canada) 257

An integral equation method for computing the transient current at microelectrodes
D.K. Cope and D.E. Tallman (Fargo, ND, USA) 265

The steady-state current for a ring-like microelectrode under non-diffusion-controlled conditions
C.G. Phillips (London, UK) and H.A. Stone (Cambridge, MA, USA) 277

Diffusion to rough interfaces: finite charge transfer rates
R. Kant and S.K. Rangarajan (Bangalore, India) 285

A model for the effective barrier height observed with a scanning tunneling microscope
O. Pecina, W. Schmickler (Ulm, Germany), K.Y. Chan (Pokfulam Road, Hong Kong) and D.J. Henderson (México DF, México) 303

Redox interaction of star-burst tetranuclear complex
K. Aoki, J. Chen (Fukui-shi, Japan) and M. Haga (Mie, Japan) 309

Cyclic voltammetry for assisted ion transfer at an ITIES
F.D. Beattie (Edinburgh, UK), R.G. Wellington and H.H. Girault (Lausanne, Switzerland) 317

Effects of ohmic resistance on the evaluation of faradaic charge in thin films of redox materials by impedance and voltammetry
P. Bernard (Marcoussis, France), M. Keddam and H. Takenouti (Paris, France) 325

On the facilitating effect of neutral macrocyclic ligands on ion transfer across the interface between aqueous and organic solutions. II: Alkali metal ion complexes with hydrophilic crown ethers
Y. Kudo, Y. Takeda and H. Matsuda (Chiba, Japan) 333

Characterization of the redox processes of poly(thiophene-3-methanol) by voltammetry, in situ optical beam deflection and Fourier transform IR techniques
M. Pohjakallio, G. Sundholm, P. Talonen (Espoo, Finland), C. Lopez and E. Vieil (Grenoble, France) 339

Synthesis and voltammetry of a tetrathiafulvalene polymer electrolyte melt
C.S. Velázquez and R.W. Murray (Chapel Hill, NC, USA) 349

Impedance measurements of ionic conductivity as a probe of structure in electrochemically deposited polypyrrole films
X. Ren and P.G. Pickup (Newfoundland, Canada) 359

AC voltammetry at microcylinder electrodes
K. Tokuda, F. Kitamura, A. Kumagai and T. Ohsaka (Yokohama, Japan) 365

Dependence of swelling behaviour and electrochemical activity of water-soluble polythiophene films on the nature of the electrolyte
T. Tatsuma, Y. Hioki and N. Oyama (Tokyo, Japan) 371

Memory effects in polyaniline in mixed solvents
H. Tang, A. Kitani and M. Shiotani (Higashihiroshima, Japan) 377

On the use of ionically conducting membranes for the fabrication of laminated polymer-based redox capacitors
S. Panero, E. Spila and B. Scrosati (Rome, Italy) 385

Effect of diffuse layer on the rate of electron transfer across an electrolyte|electrolyte solution interface
H. Katano, K. Maeda and M. Senda (Fukui, Japan) 391

Electrostatic Kerr effect at a potentiostatically controlled liquid|liquid interface
S. Nakabayashi, K. Matumoto and K. Uosaki (Sapporo, Japan) 397

Effect of the viscosity of the aqueous phase on the rate of ion transfer across the nitrobenzene|water interface
T. Kakiuchi and Y. Teranishi (Yokohama, Japan) 401

Redox and electroinsertion processes associated with the voltammetry of microcrystalline forms of Dawson molybdate anion salts mechanically attached to graphite electrodes and immersed in aqueous electrolyte media
A.M. Bond, J.B. Cooper, F. Marken and D.M. Way (Victoria, Australia) 407

Kinetics and mechanism of the electrode reactions of the $Cr^{2+}/Cr(Hg)$ system in moderately concentrated lithium iodide, chloride and perchlorate solutions
S. Marczak, P.K. Wrona and Z. Galus (Warsaw, Poland) 419

Electrochemical behavior of calix[4]arenediquinones and their cation binding properties
T.D. Chung, D. Choi, S.K. Kang, S.K. Lee, S.-K. Chang and H. Kim (Seoul, South Korea) 431

Calculation of cyclic voltammetric responses for the reduction of substrates by an inner-sphere mechanism at electrode surfaces with single monolayers of catalysts
Y. Xie and F.C. Anson (Pasadena, CA, USA) 441

Surface modification of pitch-based carbon fibre for the improvement of electrochemical lithium intercalation
M. Kikuchi, Y. Ikezawa and T. Takamura (Tokyo, Japan) 451

Electrochemical reactions of some dimethyl dialkylaminomaleates
K. Hu, M.E. Niyazymbetov and D.H. Evans (Newark, DE, USA) 457

Electro-oxidative and electro-reductive dissociation of adducts between (η5-cyclopentadienyl) (1,2-disubstituted 1,2-ethylenedithiolato) cobalt (III) complexes and tributylphosphane or tributyl phosphite
K. Shimizu, H. Ikehara, M. Kajitani, H. Ushijima, T. Akiyama, A. Sugimori and G.P. Satô (Tokyo, Japan) 465

Solvent effects in the electroreduction of [diamine-*N*,*N*′-polycarboxylato]chromate(III) complexes at a mercury electrode
M. Hecht and W.R. Fawcett (Davis, CA, USA) 473

Voltammetry in the absence of a solution phase with solids prepared by a sol-gel process as the electrolytes: facilitation of an electrocatalytic anodic process in the presence of ammonia
J.A. Cox, K.S. Alber, M.E. Tess, T.E. Cummings and W. Gorski (Oxford, OH, USA) 485

Poisoning of surface hydrogen processes on a Pd electrode during electrochemical reduction of carbon dioxide
H. Yoshitake, T. Kikkawa, G. Muto and K.-i. Ota (Yokohama, Japan) 491

Polarographic and electrochemical studies of some aromatic and heterocyclic nitro compounds. Part 9. Substituent effects on protonation of the radical $ArNO_2H^{\cdot}$ and its reactions with hydroxylamino and nitroso compounds in buffered mixtures of water and DMF
C. Karakus and P. Zuman (Potsdam, NY, USA) 499

Electrochemical detection in flow injection analysis for determining serum lipase activity
K. Takamura, T. Fuse and F. Kusu (Tokyo, Japan) 507

"Wiring" of glucose oxidase within a hydrogel made with polyvinyl imidazole complexed with $[(Os\text{-}4,4'\text{-dimethoxy-}2,2'\text{-bipyridine})Cl]^{+/2+}$
C. Taylor, G. Kenausis, I. Katakis and A. Heller (Austin, TX, USA) 511

Reactions between diaphorase and quinone compounds in bioelectrocatalytic redox reactions of NADH and NAD^+
Y. Ogino, K. Takagi, K. Kano and T. Ikeda (Kyoto, Japan) 517

An electroreflectance study of novel hemin-imidazole complexes at a pyrolytic graphite electrode
T. Sagara, S. Takeuchi, K.-i. Kumazaki and N. Nakashima (Nagasaki, Japan) 525

Electrochemical behaviour of V-groove microelectrodes fabricated by micromachining
M. Shibuya, T. Hasegawa, T. Matsue and I. Uchida (Sendai, Japan) 535

Effect of target temperature during nitrogen ion implantation on electrochemical properties of ion-implanted glassy carbon
K. Takahashi, M. Iwaki (Saitama, Japan) and H. Watanabe (Tokyo, Japan) 541

The Chemla effect in the mobilities in the molten binary system of lithium chloride and caesium chloride
I. Okada and H. Horinouchi (Yokohama, Japan) 547

Diffusion coefficients of dioxygen in aqueous electrolyte solutions
H. Ikeuchi, M. Hayafuji, Y. Aketagawa, J. Taki and G.P. Satô (Tokyo, Japan) 553

Conductometric determination of thermodynamic successive ionization constants of chloranilic acid
Y. Kato, K. Unoura (Yamagata, Japan), N. Tsunashima and A. Yamada (Nagaoka, Japan) 557

A selective gas sensor using a polypyrrole thin film as a sensitive matrix on a piezoelectric crystal
K. Nigorikawa, Y. Kunugi, Y. Harima and K. Yamashita (Higashi-Hiroshima, Japan) 563

The relation between electrical double layer data and electronic work functions for amalgams
L. Koene, M. Sluyters-Rehbach and J.H. Sluyters (Utrecht, Netherlands) 569

Author index 583

Subject index 585